

Tri-Zinc™

Serving Size 1 capsule
Servings Per Container 90

Amount Per Serving

Zinc (Histidine, Monomethionate, Glycinate)	30 mg
Copper (Sebacate)	1 mg
Betaine HCl	36 mg
Gentian Lutea Root	100 mg
Ginger	100 mg
Multizyme Blend (Protease, Protease II, Protease III, Peptidase, Cellulase, Invertase, Maltase, Amylase, Lipase, Lactase)	30 mg

SUGGESTED DOSE: As a dietary supplement, take 1-2 capsules twice per day away from high fiber foods, or as directed by your healthcare professional.

TRI-ZINC™

CONTAINS DIGESTIVE ENZYMES AND BOTANICALS FOR ENHANCED ABSORPTION. CONTAINS MINERAL COFACTORS AND A UNIQUE TRI AMINO ACID MINERAL TRANSPORT SYSTEM.

- Supports Immune Health
- Supports repair of wounds and connective tissue
- Supports sense of smell and taste
- Important for Glandular Health

When choosing a zinc supplement for your patient, consider the use of Tri-Zinc. Tri-Zinc is formulated with the best carrier compounds available. In addition, Tri-Zinc has a proprietary enzyme and a HCl absorptive base to further enhance absorption and is balanced with Copper (Sebacate), to maintain proper Zinc/Copper ratios.

Signs and Symptoms associated with Zinc Deficiency:

- Frequent and/or severe infections
- Sleep and behavioral disturbances
- Delayed wound healing
- Psychiatric illness
- Inflammatory bowel disease
- Impaired glucose tolerance
- Malabsorption syndrome
- Reduced appetite, anorexia
- Growth retardation
- Lost sense of smell or taste
- Delayed sexual maturation
- Night blindness
- Impotence, infertility
- All dermatological disorders
- Abnormal menstruation
- Dandruff and hair loss
- Alcohol abuse
- Connective tissue disease
- Diuretic usage
- Rheumatoid arthritis



TRI-ZINC™

Beneficial Effects of Zinc:

Because zinc is involved in so many chemical reactions and enzyme systems (Approximately 200 currently known), the beneficial effects of zinc are extensive.

- Adequate zinc is necessary for proper thymic function, T cell count, and overall white blood cell function.
- Zinc is necessary for healthy sensory function (smell, taste and vision). Zinc is also important for healthy macular function.
- Zinc benefits proper sexual function; it is necessary for proper male sex hormone regulation, sperm health, and prostate health
- Zinc is required for proper cell division and plays a critical role in proper fetal development.
- Adequate zinc is necessary for healthy skin.
- Zinc has antioxidant effects and supports healthy levels of Copper-Zinc Super Oxide Dismutase (Cu-Zn SOD).
- Enzymes involved in DNA replication, repair, and transcription contain zinc.
- Zinc is important for healthy brain and neurological function.
- Zinc may help prevent copper toxicity.

REFERENCES:

1. PDR for Nutritional Supplements. Medical Economics/Thomson Healthcare. p.288-295, 2001.
2. Murray MT. Encyclopedia of Nutritional Supplements, The Essential Guide for Improving Your Health Naturally. Prima Publishing. p.181-189, 1996.
3. Werbach MR. Nutritional Influences on Illness: A sourcebook of clinical research, 2nd Edition. Third Line Press, Tarzana, CA. 1993.
4. Pfeiffer C. Mental and Elemental Nutrients. Keats Pub, New Canaan, CT, 1975.
5. Prasad A. Clinical, biochemical and nutritional spectrum of zinc deficiency in human subjects: An update. *Nutrition Reviews* 41, 197-208, 1983
6. Goldenber RL, et al. The effect of zinc supplementation on pregnancy outcome. *JAMA* 274, 463-468, 1995.
7. Dardenna M, et al. Contribution of zinc and other metals to the biological activity of the serum thymic factor. *Proc Natl Acad Sci* 79, 5370-5373, 1982.
8. Netter A, et al. Effect of zinc administration on plasma testosterone, dihydrotestosterone and sperm count. *Arch Androl* 7, 69-73, 1981.
9. Newsome DA, et al. Oral zinc in macular degeneration. *Arch Ophthalmol* 106, 192-198, 1988.
10. Constantinidis J. The hypothesis of zinc deficiency in the pathogenesis of neurofibrillary tangles. *Med Hypoth* 35; 319-323, 1991.
11. Constantinidis J. Treatment of Alzheimer's disease by zinc compounds. *Drug Develop Res* 27, 1-14, 1992.
12. Brewer GJ. Practical recommendations and new therapies for Wilson's disease. *Drugs* 50, 240-249, 1995.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.